

**APPENDIX 1
TAB A
PRIORITY CHANNELS FOR MUTUAL AID, INTEROPERABILITY, AND
DIRECTION AND CONTROL**

Very High Frequency (VHF)

On-scene (OSCCR): Control/Coordination	156.135 MHz
Search and Rescue (SAR):	155.160 MHz
Law Enforcement (LERN):	155.370 MHz
Fire (FIRECOM): Mutual Aid	153.830 MHz
Fire (DNR Common):	151.415 MHz
EMS/Trauma (HEAR): (medical control)	155.340 MHz
CEMNET - Direction and Control	
Channel F1:	45.20 MHz
Channel F2:	45.36 MHz
Channel F3:	45.48 MHz

See Tab B for further details concerning CEMNET.

High Frequency (HF)

Washington Emergency Net (RACES/ARES)	3.987 MHz
--	-----------

Ultra High Frequency (UHF)

EMS/Trauma (MED-7): (local on-scene medical control)	TX 463.150 MHz RX 468.150 MHz
EMS/Trauma (MED-1): (state medical control)	TX 463.000 MHz RX 468.000 MHz
Talk-around (MED-1):	463.000 MHz

Ultra High Frequency (800 MHz NPSPAC)

National Calling Channel (ICALL): 821/866.0125 MHz (Chan. 601)
National Working Channel (ITAC-1): 821/866.5125 MHz (Chan. 639)
National Working Channel (ITAC-2): 822/867.0125 MHz (Chan. 677)
National Working Channel (ITAC-3): 822/867.5125 MHz (Chan. 715)
National Working Channel (ITAC-4): 823/868.0125 MHz (Chan. 753)

Note 1: The ICALL channel shall be used to contact other users in the Region for the purpose of requesting incident related information and assistance. If necessary, the calling party will be asked to move to one of the ITAC channels for continuing incident operations or other interoperability communication needs. This channel can be implemented in full repeat mode.

Note 2: The ITAC channels are to be used primarily for coordination activity between different agencies in a mutual aid situation, or emergency activities of a single agency. Incidents requiring multi-agency participation will be coordinated over these channels by the agency controlling the incident. These channels can be implemented in full repeat mode.

Tactical, Fire/EMS (STATEOPS-1): 822/867.5375 MHz (Channel 716)
Tactical, Fire/EMS (STATEOPS-4): 822/867.6125 MHz (Channel 722)

Tactical, Law Enforcement (STATEOPS-2): 822/867.5625 MHz (Channel 718)
Tactical, Law Enforcement (STATEOPS-5): 822/867.6375 MHz (Channel 724)

Tactical, Local Government/Others (STATEOPS-3): 822/867.5875 MHz
(Channel 720)

Note 3: The STATEOPS-1 through 5 are to be used only in the "simplex" mode using the repeater output frequency, for interoperability and other "repeater talk-around" needs. STATEOPS-3 will be implemented in simplex mode on the repeater output frequency (867.5875 MHz). Fixed base stations and fixed mobile relay stations are prohibited on these tactical channels. Temporary portable mobile relay stations with the minimum required power shall be permitted.

Note 4: All ten interoperability channels cited above shall be controlled by sub-audible tone 156.7 Hz. All interoperability repeaters shall have a input and output tone of 156.7 Hz.

**APPENDIX 1
TAB B
COMPREHENSIVE EMERGENCY MANAGEMENT NETWORK (CEMNET)**

CEMNET serves as the "PRIMARY" back-up communications system for direction and control of emergency operations, statewide.

CEMNET is a low band VHF system employing twelve (12) remote mountaintop base stations. The 12 stations are operated and controlled at the state Emergency Operations Center (EOC) through the Washington State Patrol microwave radio system. The 12 base stations and call signs are:

Capitol Peak	KOM575	Skamania Mountain	WNBQ335
Mount Spokane	KOM570	Clemans Mountain	WNUD825
Joe Butte	KBI807	Galbraith Mountain	WNBQ380
Burch Mountain	KOM560	Scoggins Hill	WNUB969
Tunk Mountain	WNBW539	Octopus Mountain	WNUF654
Baw Faw	WPKE716	Squak Mountain	WPKE718

The system controls/operates three (3) channels supporting state and local government operations. Each channel has been assigned for use in one of five CEMNET operating regions. The channels are monitored on a 24-hour basis by the State Duty Officer; callsign "State EOC".

REGION	CHANNEL	FREQUENCY
Northwest and Northeast	F1	45.20 MHz
Southwest and Southeast	F2	45.36 MHz
Central	F3	45.48 MHz

Note: Private Line (PL) tone on all channels is 127.3 Hz.

Each local jurisdiction (county/city) with CEMNET may operate on the assigned region channel for local operations. The following table indicates the region/channel assignment to be used by local jurisdictions.

CEMNET REGION AND CHANNEL ASSIGNMENTS

NORTHWEST (F1 - 45.20 MHz)	SOUTHWEST (F2 - 45.36 MHz)	CENTRAL (F3 - 45.48 MHz)	NORTHEAST (F1 - 45.20 MHz)	SOUTHEAST (F2 - 45.36 MHz)
Island Co.	Clallam Co.	Adams Co.	Ferry Co.	Asotin Co.
Jefferson Co.	Clark Co.	Benton Co.	Lincoln Co.	Columbia Co.
Kitsap Co.	Cowlitz Co.	Chelan Co.	Okanagon Co.	Garfield Co.
San Juan Co.	Grays Harbor Co.	Douglas Co.	Pend Orielle Co.	Whitman Co.
Skagit Co.	King Co.	Franklin Co.	Spokane Co.	
Snohomish Co.	Lewis Co.	Grant Co.	Stevens Co.	
Whatcom Co.	Mason Co.	Kittitas Co.		
	Pacific Co.	Klickitat Co.		
	Pierce Co.	Yakima Co.		
	Skamania Co.	Walla Walla Co.		
	Thurston Co.			
	Wahkiakum Co.			
ESCA				
Auburn	Lacey			
Bellevue	Puyallup			
Kent	Shelton			
Mercer Island	Tacoma			
Port Angeles	Kirkland			
Redmond				
Seattle				
Snoqualmie				

Local jurisdictions listed above are authorized to use the assigned region channel for local operations. Each local license holder is authorized to operate up to five (5) mobiles.

**APPENDIX 1
TAB C
STATE EMERGENCY COMMUNICATIONS USING RADIO EFFECTIVELY (SECURE)**

SECURE serves as a "secondary" limited back-up communications system for direction and control use within the state, as needed. It also serves as a capability to communicate with FEMA Region X, Idaho, and Oregon.

SECURE is an HF radio system employing two stations located in the state Emergency Operations Center (EOC), the Spokane EOC, and a mobile station operated by the Military Department.

Frequencies authorized by FCC and FEMA for use on the system are:

Primary (Day):	7.935 MHz
Primary (Night):	2.411 MHz

Primary (Day - Interstate):	7.805 MHz
Primary (Night - Interstate):	2.326 MHz

Other assigned frequencies:

2.801 MHz
2.414 MHz
2.587 MHz
5.192 MHz

Frequencies are operated upper sideband (USB).

A local jurisdiction EOC will operate on this system when the need is identified and the capability is provided by the state EMD Telecommunications and Warning Program Manager.

**APPENDIX 1
TAB D
RADIO AMATEUR CIVIL EMERGENCY SERVICES (RACES)**

RACES serves as a "tertiary" back-up communications system for direction, control, warning, and coordination, statewide. See the State RACES Plan, dated November 1995, with changes, for further detail on employment of amateur radio within the state.

RACES is the employment of amateur radio operators/equipment in support of state and local government emergency operations. Amateur radio support, RACES, is established and available at the state Emergency Operations Center (EOC). Systems that can be employed are HF (voice and Packet), VHF (2 meter), VHF (Packet), and UHF.

The frequencies most commonly used to support state EOC operations are listed below. Other frequencies within the amateur band, which are not listed, will be coordinated and used as needed. The call sign for the state EOC RACES is W7EMD (State RACES Radio Officer).

HF - Used statewide by all amateur radio operators for any/all emergencies.

Voice (as needed):	3987 kHz
Packet (24-hours):	3624 kHz

VHF (2 meter)

145.37 MHz	Primary Frequency	(P.L. 136.5 HZ)
145.47 MHz	Olympia Repeater	
146.80 MHz	Olympia Repeater	
145.15 MHz	Olympia Repeater	
147.06 MHz	Baw Faw Mountain Repeater	

VHF (220 MHz band)

224.46 MHz	Olympia Repeater
------------	------------------

UHF (440 MHz band)

444.275 MHz	Olympia Repeater
444.45 MHz	Olympia Repeater

VHF (PACKET) - Call Sign W7EMD-4

145.01 MHz	Seattle Node (Primary)
------------	------------------------

VHF (APRS) – Call Sign W7EMD-3

144.390 MHz

**APPENDIX 1
TAB E
OTHER FREQUENCIES MONITORED**

To provide a list of other frequencies which the state EOC can monitor or employ, as needed.

The scope of this list focuses on those systems and frequencies which state EMD, through agreement with other agencies, can monitor or access during times of emergencies and/or disasters.

Frequency Assignments

High Frequency

State Area Command (STARC):	4.580 MHz (Pri) 4.520 MHz (Alt)
US Coast Guard:	2670 KHz 2103.5 KHz
Civil Air Patrol:	4.585 MHz (Pri) 4.582 MHz (Alt)
FEMA Region 10: (FNARS)	2.320 MHz 4.780 MHz 7.348 MHz 10.493 MHz 11.801 MHz 11.957 MHz 12.216 MHz 14.450 MHz 17.649 MHz

Very High Frequency (VHF)

Department of Natural Resources	
Common:	151.415 MHz
State:	159.420 RX/151.295 TX
CAPTEL:	159.285 RX/151.430 TX
Aeronautical Multi-comm:	122.900 MHz (Initial Contact) 122.850 MHz (Air-to-Air/Gnd)
Civil Air Patrol:	148.150 MHz
NOAA Weather Radio:	162.550 MHz 162.475 MHz
NLECS (EAS radio relay only): (National Law Enforcement)	155.475 MHz

Communications System)

US Coast Guard (Mar. Ch. 81A):
(Pollution Response Coordination
Channel, On-scene use only)

157.075 MHz

FEMA MERS Operations Net

139.950 TX/143.250 RX

Ultra High Frequency (UHF)

State Agency Emergency Net

DOT 800 MHz, System 2, Group 2

APPENDIX 1 **TAB F** **OTHER VOICE/DATA SYSTEMS**

To provide a list of dedicated voice/data systems that would be employed by the state EOC, as needed.

The scope of this list focuses on the landline systems currently used by the state EMD to support any/all emergencies and/or disasters.

National Warning System (NAWAS): (see Appendix 2, Warning, for additional information about NAWAS)

1. Consists of 31 local Primary Warning Points and 15 Duplicate Warning Points located in EOCs.
2. State Warning Point:

Primary - Emergency Management, state EOC, Camp Murray
Alternate - Washington State Patrol (WSP) Communications Center, Yakima
3. NAWAS, if available, in addition to supporting warning requirements, will be employed as an additional direction, control, and coordination capability to those jurisdictions having a NAWAS terminal.

A Central Computerized Enforcement Service System (ACCESS): (see Appendix 2, Warning, for additional information on use of ACCESS)

1. Consists of a data/teletype network supporting state and local law enforcement agencies. This network is managed by WSP ACCESS Operations and is supported through the WSP microwave radio system and leased circuits, statewide.
2. ACCESS is employed by the state EMD for dissemination of warning, alert, and notification information to local jurisdiction emergency managers.
3. ACCESS, if available, in addition to supporting the above needs, will be employed as an additional direction, control, and coordination capability to all jurisdictions.

Energy Northwest and Columbia Generating Station Special Circuits: All circuits are supported through the WSP microwave radio system and GTE leased lines.

1. One (1) - Dial "400" CRASH line
2. One (1) - Select Dial line
3. One (1) - Facsimile line
4. One (1) - Public Information Officer (PIO) Select Dial line

U.S. Department of Energy, Richland - One (1) - Dial "400" CRASH line supported through the WSP microwave radio system and GTE leased lines.

Umatilla Chemical Depot, Chemical Stockpile Emergency Preparedness Program:

1. One (1) - Automatic Ringdown Line
2. One (1) - Select Dial line
3. Two (2) - Facsimile lines
4. One (1) - PIO Select Dial line
5. Two (2) - Tie lines